

Station 6 (496 m)														
Intervals (cm)	0-0.5	0.5-1	1-1.5	1.5-2	2-2.5	2.5-3	3-3.5	3.5-4	4-5	5-6	6-8	8-10	Total	%
Perforate calcareous taxa														
<i>Alliatina primitiva</i>				1									1	0.2
<i>Buccella angulata</i>											1		1	0.2
<i>Cibicidoides pseudoungerianus</i>			2	3	1	1		2	1	2	7	2	21	3.9
<i>Chilostomellina fimbriata</i>		1				1		4	2		1	2	11	2.0
<i>Elphidium subarcticum</i>					1								1	0.2
<i>Globobulimina pacifica</i>			1	3	2	10	4		3	4	1		28	5.1
<i>Nonionella globosa</i>	64	34	31	21	28	13	15	26	5	3	2		242	44.5
<i>Nonionella stella</i>		1	3	2	1	2	2			1	1		13	2.4
<i>Nonionellina labradorica</i>	5	3	13	11	7	6	3	5	4	5		1	63	11.6
<i>Rutherfordoides cornuta</i>			1	2	1			1					5	0.9
<i>Uvigerina akitaensis</i>									2				2	0.4
<i>Uvigerina cf. graciliformis</i>	35	16	13	8	6	3	2	7	1	9	7	12	119	21.9
Agglutinated taxa														
<i>Cribrostomoides</i> spp.	1		1		3	2		1	1			1	10	1.8
<i>Hemisphaerammina bradyi</i>	1												1	0.2
<i>Psammosphaera</i> spp.	5												5	0.9
<i>Trochammina</i> spp.	5		1	2							1		9	1.7
<i>Reophax communis</i>									1			2	3	0.6
<i>Reophax micaceus</i>		6	3										9	1.7
Total	116	61	69	53	50	38	26	46	20	24	21	20	544	100.0
Number of Taxa	7	6	10	9	9	8	5	7	9	6	8	6	18	

Station 7 (760 m)														
Intervals (cm)	0-0.5	0.5-1	1-1.5	1.5-2	2-2.5	2.5-3	3-3.5	3.5-4	4-5	5-6	6-8	8-10	Total	%
Perforate calcareous taxa														
<i>Alliatina primitiva</i>				2									2	0.1
<i>Bolivina spissa</i>	53	70	124	57	21	23	11	14	11	6	32	17	439	26.7
<i>Bulimina striata</i>	5												5	0.3
<i>Cassidulina carinata</i>	13		1								1		15	0.9
<i>Chilostomella ovoidea</i>	3		1			1						1	6	0.4
<i>Chilostomellina fimbriata</i>	4		1	2	1	3	1	2	1			2	17	1.0
<i>Cibicidoides pseudoungerianus</i>			1	1									2	0.1
<i>Elphidium batialis</i>	2	1											3	0.2
<i>Globobulimina pacifica</i>	2				4							1	7	0.4
<i>Lagena</i> sp.						1							1	0.1
<i>Nonionella globosa</i>	6			1	2					3		4	16	1.0
<i>Nonionella stella</i>	2	15	21	4	9				1	2	5	2	61	3.7
<i>Nonionellina labradorica</i>	22	8	27	19	7	5	6	6	3	3	7	5	118	7.2
<i>Rutherfordoides cornuta</i>	49	37	40	13	4			1			1		145	8.8
<i>Uvigerina akitaensis</i>	269	110	50	29	12	17	9	18	38	20	56	31	659	40.0
<i>Valvulineria araucana</i>											1	1	2	0.1
Porcelaneous taxa														
<i>Quinqueloculina</i> spp.			1										1	0.1
Agglutinated taxa														
<i>Cribrostomoides</i> spp.			3										3	0.2
<i>Psammosphaera</i> spp.		1	2	5	2	3		1	2	2	1		19	1.2
<i>Trochammina</i> spp.	2												2	0.1
<i>Reophax micaceus</i>	16	42	40	22	4								124	7.5
Total	448	284	312	155	66	53	27	42	56	36	104	64	1647	100.0
Number of taxa	14	8	13	11	10	7	4	6	6	6	8	9	21	

Station 8 (1033 m)														
Intervals (cm)	0-0.5	0.5-1	1-1.5	1.5-2	2-2.5	2.5-3	3-3.5	3.5-4	4-5	5-6	6-8	8-10	Total	%
Perforate calcareous taxa														
Indet.	2		2										4	0.1
<i>Bolivina spissa</i>	322	421	556	389	292	174	154	133	101	56	46	6	2650	43.6
<i>Buccella angulata</i>	9	4	2	1		2		2	2			2	24	0.4
<i>Bulimina striata</i>	12	5	3						1				21	0.3
<i>Cassidulina carinata</i>	113	5	4			2	2	3	5		3	3	140	2.3
<i>Cibicides wuellerstorfi</i>	13	5		1					2	2			23	0.4
<i>Cibicidoides pseudoungerianus</i>									1				1	0.0
<i>Chilostomellina fimbriata</i>		1			1	4	15	34	170	70	78	4	377	6.2
<i>Elphidium batialis</i>	137	36	8	3	3	1	3	2	3	3	1	3	203	3.3
<i>Epistominella smithi</i>			2										2	0.0
<i>Globobulimina pacifica</i>						2	2	1	9	6			20	0.3
<i>Nonionella globosa</i>	1		1										2	0.0
<i>Nonionellina labradorica</i>	5	1	3	3	7	20	21	47	100	3	14	1	225	3.7
<i>Polymorphina</i> spp.		1											1	0.0
<i>Rutherfordoides cornuta</i>	2		3						1				6	0.1
<i>Uvigerina akitaensis</i>	786	341	376	127	58	33	27	24	33	139	41	11	1996	32.8
Porcelaneous taxa														
<i>Quinqueloculina</i> spp.	4								1				5	0.1
Agglutinated taxa														
<i>Cribrostomoides</i> spp.	16	17	5	1	4	1	2	1	2	1			50	0.8
<i>Eggerella advena</i>	30	11		1									42	0.7
<i>Psammosphaera</i> spp.	1												1	0.0
<i>Trochammina</i> spp.	21	5	1						3	4	1		35	0.6
<i>Recurvoides</i> spp.	2												2	0.0
<i>Reophax micaceus</i>	9	1	15	24	55	64	40	27	13		1		249	4.1
<i>Technitella legumen</i>							1						1	0.0
Total	1485	854	981	550	420	303	267	274	447	284	185	30	6080	100.0
Number of Taxa	18	14	14	9	7	10	10	10	16	9	8	7	24	

Station 9 (1249 m)														
Intervals (cm)	0-0.5	0.5-1	1-1.5	1.5-2	2-2.5	2.5-3	3-3.5	3.5-4	4-5	5-6	6-8	8-10	Total	%
Perforate calcareous taxa														
<i>Bolivina spissa</i>	6	49	63	19	18	19	2	4	9	8	14	2	213	24.3
<i>Cassidulina carinata</i>	1												1	0.1
<i>Chilostomellina fimbriata</i>	2	1	2	3	4	10	14	8	31	31	25	11	142	16.2
<i>Elphidium batialis</i>	9	3	3	2	1	1							19	2.2
<i>Globobulimina pacifica</i>		1			2	2	3	3	1				12	1.4
<i>Nonionella globosa</i>					2	5	2	5	16	7	1		38	4.3
<i>Nonionella stella</i>	1	3	1	1	1			1			2		10	1.1
<i>Uvigerina akitaensis</i>	115	165	37	6	11	4	5	2	5	6	4	1	361	41.3
Porcelaneous taxa														
<i>Quinqueloculina</i> spp.	11												11	1.3
Agglutinated taxa														
<i>Cribrostomoides</i> spp.	1	1	2	1					1		1		7	0.8
<i>Eggerella advena</i>	17	13	3		3		2						38	4.3
<i>Hippocrepinella alba</i>								2		1			3	0.3
<i>Reophax micaceus</i>		2	1	13	1	1	2						20	2.3
Total	163	238	112	45	43	42	30	25	63	53	47	14	875	100.0
Number of Taxa	9	9	8	7	9	7	7	7	6	5	6	3	13	

Station 10 (1963 m)														
Intervals (cm)	0-0.5	0.5-1	1-1.5	1.5-2	2-2.5	2.5-3	3-3.5	3.5-4	4-5	5-6	6-8	8-10	Total	%
Perforate calcareous taxa														
<i>Chilostomellina fimbriata</i>	2				2						11		15	11.1
<i>Elphidium batialis</i>	20	5			1						1	2	29	21.5
<i>Nonionella globosa</i>	2		1								4	1	8	5.9
<i>Nonionellina labradorica</i>	6	1	3	8	2	1			5	3	10	4	43	31.9
<i>Uvigerina curtica</i>	6	6	7		1						2		22	16.3
Porcelaneous taxa														
<i>Quinqueloculina laevigata</i>	1												1	0.7
<i>Pyrgo lucernula</i>	5				1								6	4.4
Allogromiids	3		1	2	1						3		10	7.4
Agglutinated indet.		1											1	0.7
Total	45	13	12	10	8	1	0	0	5	3	31	7	135	
Number of Taxa	8	4	4	2	6	1	0	0	1	1	6	3	9	